

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
9 March 2006 (09.03.2006)

PCT

(10) International Publication Number  
**WO 2006/025627 A1**

(51) International Patent Classification<sup>7</sup>: **B82B 3/00**  
(21) International Application Number:  
PCT/KR2004/002509  
(22) International Filing Date:  
30 September 2004 (30.09.2004)  
(25) Filing Language: Korean  
(26) Publication Language: English  
(30) Priority Data:  
10-2004-0070304  
3 September 2004 (03.09.2004) KR

(71) Applicant (for all designated States except US): **YONSEI UNIVERSITY** [KR/KR]; 134, Sinchon-dong, Seodaemun-gu, Seoul 120-749 (KR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **CHEON, Jin-Woo** [KR/KR]; #213-803, Mokdong-2cha Wooseong Apt., Sinjeong 7-dong, Yangcheon-gu, Seoul 158-050 (KR). **JUN, Young-Wook** [KR/KR]; #1493-1, Seongseok-dong, Ilsan-gu, Goyang-si, Gyeonggi-do 411-570 (KR). **CHOI, Jin-Sil** [KR/KR]; #102-905, Cheongku-Bluevil, Yongsan-dong, Dalseo-gu, Daegu 704-130 (KR).

(74) Agents: **LEE, Sei-Jin** et al.; 17th Floor, City Air Tower, 159-9 Samsung-dong, Gangnam-gu, Seoul 135-973 (KR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: WATER-SOLUBLE NANOPARTICLES STABILIZED WITH MULTI-FUNCTIONAL GROUP LIGANDS AND METHOD OF PREAPATION THEREOF



(57) Abstract: Disclosed are water-soluble nanoparticles. The water-soluble nanoparticles are each surrounded by a multifunctional group ligand including an adhesive region, a cross linking region, and a reactive region. In the water-soluble nanoparticles, the cross-linking region of the multifunctional group ligand is cross-linked with another cross-linking region of a neighboring multifunctional group ligand. Furthermore, the present invention provides a method of producing water-soluble nanoparticles, which includes (1) synthesizing water-insoluble nanoparticles in an organic solvent, (2) dissolving the water insoluble nanoparticles in a first solvent and dissolving water-soluble multifunctional group ligands in a second solvent, (3) mixing the two solutions from the step (2) to substitute surfaces of the water-insoluble nanoparticles with the multifunctional group ligands and dissolving a mixture in an aqueous solution to conduct a separation process, and (4) cross-linking the substituted multifunctional group ligands with each other.

Water-Soluble Nanoparticles Stabilized with Multi-Functional Group  
Ligands and Method of Preparation Thereof

Technical Field

5

The present invention relates, in general, to water-soluble nanoparticles and, more particularly, to water-soluble nanoparticles, which are each surrounded by a multifunctional group ligand ( $L_I$ - $L_{II}$ - $L_{III}$ ) including an adhesive region ( $L_I$ ), a cross-linking region ( $L_{II}$ ), and a reactive region ( $L_{III}$ ), and in which the cross-linking region of the multifunctional group ligand is cross-linked with another cross-linking region of a neighboring multifunctional group ligand.

Furthermore, the present invention pertains to a method of producing water-soluble nanoparticles, which includes (1) synthesizing water-insoluble nanoparticles in an organic solvent, (2) dissolving the water-insoluble nanoparticles in a first solvent and dissolving water-soluble multifunctional group ligands in a second solvent, (3) mixing two solutions in the step (2) to substitute surfaces of the water-insoluble nanoparticles with the multifunctional group ligands and dissolving a mixture in an aqueous solution to conduct a separation process, and (4) cross-linking the substituted multifunctional group ligands with each other.

20

Background Art

Used to adjust and control a substance at an atomic or molecular level, nanotechnology is suitable to create novel substances and materials, and applied to various fields, such as electronic, material, communication, mechanical, medical,

25

agricultural, energy, and environmental fields.

Currently, development of various types of nanotechnologies is in progress, and the nanotechnology is usually classified into the following three categories. The first category relates to a technology to synthesize ultrafine novel substances and matter  
5 using a nano-material. The second category relates to a technology to produce a device which assures predetermined functions by combining or arranging nano-sized materials. The third category relates to a technology to apply a nanotechnology, which is called a nano-bio, to bioengineering.

Particularly, in nano-bio fields, nanoparticles are used to specifically kill cancer  
10 cells, boost an immune reaction, fuse cells, deliver genes or drugs, conduct diagnosis and the like. In order to apply the nanoparticles to the above applications, the nanoparticles must have portions, to which active components are capable of adhering, and must be stably delivered and dispersed in vivo, that is, in a water-soluble environment. Many technologies have lately been developed to satisfy such conditions.

15 U.S. Patent No. 6,274,121 discloses paramagnetic nanoparticles including metals, such as iron oxides, to which inorganic materials, having binding sites that are capable of being coupled with tissue-specific binding substances and diagnostically or pharmaceutically active materials, adhere.

U.S. Patent No. 6,638,494 pertains to paramagnetic nanoparticles containing  
20 metals, such as iron oxides, and discloses a method of preventing nanoparticles from cohering and precipitating in the gravity or magnetic fields, in which specific carboxylic acid adheres to surfaces of the nanoparticles. Examples of the above carboxylic acid include aliphatic dicarboxylic acid, such as maleic acid, tartaric acid, and glucaric acid, or aliphatic polycarboxylic acid, such as citric acid, cyclohexane, and tricarboxylic acid.

25 U.S. Patent No. 6,649,138 discloses a method of improving the water-soluble

property of nanoparticles, in which a multiply amphiphilic dispersant layer is formed on surfaces of the hydrophobic nanoparticles having semiconductor or metal materials. The multiply amphiphilic dispersant is exemplified by (1) a hydrophobic backbone having hydrophilic branched chains, (2) a hydrophilic backbone having hydrophobic  
5 branched chains, or (3) a hydrophobic or hydrophilic backbone simultaneously having hydrophilic and hydrophobic branched chains.

U.S. Patent Application No. 2004/0033345 discloses a method of capsulizing nanoparticles, in which hydrophobic ligand layers are formed around metals or semiconductors, using micelles to dissolve the nanoparticles in an aqueous solution. At  
10 this time, the micelles consist of hydrophilic shells and hydrophobic cores.

U.S. Patent Application No. 2004/0058457 suggests functional nanoparticles which are surrounded by monolayers, and in which bifunctional peptides adhere to the monolayers and various biopolymers including DNA and RNA are bound to the peptides.

However, the water-soluble nanoparticles produced according to the above  
15 method, have the following disadvantages. In U.S. Patent Nos. 6,274,121, and 6,638,494, and U.S. Patent Application No. 2004/0058457, the nanoparticles are synthesized in aqueous solution. In such a case, it is difficult to control the sizes of the nanoparticles, and the synthesized nanoparticles have a nonuniform size distribution. Furthermore, since they are synthesized at low temperatures, crystallinities of the  
20 nanoparticles are low and non-stoichiometric compounds are apt to be generated. Additionally, surfaces of the nanoparticles are coated with a monomolecular surface stabilizer, but bonding strengths between the stabilizer and the nanoparticles are not high, and thus, the nanoparticles are less stable in aqueous solution. The water-soluble nanoparticles of U.S. Patent No. 6,649,138 and U.S. Patent Application No.  
25 2004/0033345 are surrounded by amphiphilic polymers, thus having significantly

increased diameters in comparison with inorganic nanoparticles. Further, successful application examples of these nanoparticles are limited to semiconductor nanoparticles.

#### Disclosure of the Invention

5

Accordingly, an object of the present invention is to provide water-soluble nanoparticles which are highly stable in aqueous solution and have low toxicity to living bodies, thereby being applied to various fields, such as bio diagnosis and treatment, and electronic materials, and a method of preparation thereof.

10

In order to accomplish the above object, the present inventors added multifunctional group ligands, each of which includes (a) an adhesive region bonded to nanoparticles, (b) a cross-linking region stabilizing the nanoparticles in an aqueous solution, and (c) a reactive region capable of being bonded to active components, to the nanoparticles gained from an organic solvent, thereby producing nanoparticles which are

15

stable in aqueous solution and are capable of being bonded to various active components.

The present invention provides water-soluble nanoparticles, which are each surrounded by a multifunctional group ligand including an adhesive region, a cross-linking region, and a reactive region, and in which the cross-linking region of the multifunctional group ligand is cross-linked with another cross-linking region of a neighboring

20

multifunctional group ligand.

Furthermore, the present invention provides a method of producing water-soluble nanoparticles, which includes (1) synthesizing water-insoluble nanoparticles in an organic solvent, (2) dissolving the water-insoluble nanoparticles in a first solvent and dissolving water-soluble multifunctional group ligands in a second solvent, (3) mixing two solutions

25

in the step (2) to substitute surfaces of the water-insoluble nanoparticles with the

multifunctional group ligands and dissolving a mixture in an aqueous solution to conduct a separation process, and (4) cross-linking the substituted multifunctional group ligands with each other.

5 Brief Description of the Drawings

The above and other objects, features and other advantages of the present invention will be more clearly understood from the following detailed description taken in conjunction with the accompanying drawings, in which:

10 FIG. 1 illustrates the production of water-soluble nanoparticles from water-insoluble nanoparticles according to the present invention;

FIG. 2 schematically illustrates the water-soluble nanoparticles according to the present invention;

15 FIG. 3 illustrates the production process of water-soluble iron oxide nanoparticles surrounded by dimercaptosuccinic acid according to the present invention;

FIG. 4 illustrates the solubility of iron oxide nanoparticles, surrounded by an organic surface stabilizer, in an organic solvent, and the solubility of the water-soluble iron oxide nanoparticles, surrounded by water-soluble multifunctional group ligands, in an aqueous solution;

20 FIG. 5 illustrates the results of electrophoresis of the water-soluble iron oxide nanoparticles according to the present invention;

FIGS. 6A to 6D are transmission electron microscope (TEM) images of the water-soluble iron oxide nanoparticles (4, 6, 9, and 12 nm) according to the present invention;

25 FIG. 7 illustrates the results of electrophoresis of the water-soluble core-shell (FePt@Fe<sub>3</sub>O<sub>4</sub>) nanoparticles according to the present invention;

FIG. 8 is a transmission electron microscope (TEM) image of the water-soluble core-shell (FePt@Fe<sub>3</sub>O<sub>4</sub>) nanoparticles according to the present invention; and

FIG. 9 illustrates the result of electrophoresis of the water-soluble iron oxide nanoparticles according to the present invention, which shows that the water-soluble iron oxide nanoparticles can be bonded to active components.

#### Best Mode for Carrying Out the Invention

In the specification of the present invention, “nanoparticles” means particles which each include a metal material, a metal chalcogenide, a magnetic material, a magnetic alloy, a semiconductor material, or a multicomponent mixed structure and each of which has a diameter of 1 – 1000 nm, and preferably 2 – 100 nm.

In the specification of the present invention, “water-insoluble nanoparticles” means nanoparticles surrounded by a hydrophobic surface stabilizer, which may be produced through a chemical reaction of a nanoparticle precursor in an organic solvent, containing a typical surface stabilizer, so as to have excellent crystallinity and desired size, shape, and composition. The “surface stabilizer” means organic functional molecules capable of stabilizing a state and a size of the nanoparticle, and representative examples include a surfactant.

Regarding “water-soluble nanoparticles” according to the present invention, a water-soluble multifunctional group ligand layer is formed instead of the hydrophobic surface stabilizer on surfaces of the water-insoluble nanoparticles. The multifunctional group ligands are cross-linked with each other, and thus, the water-soluble nanoparticles can be stably dissolved and dispersed in an aqueous solution. In detail, the water-soluble nanoparticles are surrounded by the multifunctional group ligands, each of which includes

an adhesive region, a cross-linking region, and a reactive region. The cross-linking regions of the multifunctional group ligands are cross-linked with other cross-linking regions of neighboring multifunctional group ligands.

The water-soluble nanoparticles according to the present invention may be  
5 provided in various forms which depend on the type of metal, metal chalcogenide, magnetic material, magnetic alloy, semiconductor material or multicomponent mixed structure, and multifunctional group ligand.

Examples of the metal include Pt, Pd, Ag, Cu, Au, Ru, Rh, and Os, and the metal chalcogenide is exemplified by  $M_xE_y$  ( $M = \text{Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zr, Mo, Ru, Rh, Ag, W, Re, Ta, Zn; E = O, S, Se, } 0 < x \leq 3, 0 < y \leq 5$ ),  $\text{BaSr}_x\text{Ti}_{1-x}\text{O}_3$ ,  $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$  ( $0 \leq x \leq 1$ ),  
10 and  $\text{SiO}_2$ . Examples of the magnetic material include Co, Mn, Fe, Ni, Gd,  $\text{MM}'_2\text{O}_4$ , and  $\text{M}_x\text{O}_y$  ( $M \text{ or } M' = \text{Co, Fe, Ni, Mn, Zn, Gd, Cr, } 0 < x \leq 3, 0 < y \leq 5$ ), and the magnetic alloy is exemplified by CoCu, CoPt, FePt, CoSm, NiFe, CoAu, CoAg, CoPtAu, CoPtAg and NiFeCo.

15 Furthermore, examples of the semiconductor material may include a semiconductor material consisting of elements selected from group II (Zn, Cd, Hg) and elements selected from group VI (O, S, Se), a semiconductor material consisting of elements selected from group III (B, Al, Ga, In) and elements selected from group V (P, As, Sb), a semiconductor material consisting of group IV (Si, Ge, Pb, Sn), a  
20 semiconductor material consisting of elements selected from group IV (Si, Ge) and elements selected from group VI (O, S, Se), or a semiconductor material consisting of elements selected from group V (P, As, Sb, Bi) and elements selected from group VI (O, S, Se).

The "multicomponent mixed structure" is a particle including two or more  
25 components selected from the group consisting of metal, metal chalcogenide, magnetic

material, magnetic alloy, and semiconductor material, and representative examples in shape are a core-shell and a bar code.

In the specification of the present invention, the “multifunctional group ligand ( $L_I$ - $L_{II}$ - $L_{III}$ )” means a material including (a) an adhesive region ( $L_I$ ), (b) a cross-linking region ( $L_{II}$ ), and (c) a reactive region ( $L_{III}$ ). Hereinafter, a detailed description will be given of the multifunctional group ligand.

The “adhesive region ( $L_I$ )” means a portion of the multifunctional group ligand which contains a functional group capable of adhering to nanoparticles, and preferably an end of the ligand. Accordingly, it is preferable that the adhesive region include the functional group having a high affinity for a material constituting the nanoparticles, and the functional group of the adhesive region may be selected depending on the type of material constituting the nanoparticles. The adhesive region may include  $-\text{COOH}$ ,  $-\text{NH}_2$ ,  $-\text{SH}$ ,  $-\text{CONH}_2$ ,  $-\text{PO}_3\text{H}$ ,  $-\text{PO}_4\text{H}$ ,  $-\text{SO}_3\text{H}$ ,  $-\text{SO}_4\text{H}$ , or  $-\text{OH}$  as the functional group.

The “cross-linking region ( $L_{II}$ )” means another portion of the multifunctional group ligand which includes a functional group capable of being cross-linked with neighboring multifunctional group ligands, and preferably the central portion of the ligand. “Cross-linking” means an intermolecular interaction between the adjacent multifunctional group ligands. Illustrative, but non-limiting, examples of the intermolecular interaction include a hydrophobic interaction, a hydrogen bond, a covalent bond (e.g. disulfide bond), a van der Waals bond, and an ionic bond. Since the intermolecular interaction is not limited to the above examples, the functional group to be cross-linked may be selected depending on the type of desired intermolecular interaction. The cross-linking region may include  $-\text{SH}$ ,  $-\text{NH}_2$ ,  $-\text{COOH}$ ,  $-\text{OH}$ , -epoxy, -ethylene, or -acetylene as the functional group.

The “reactive region ( $L_{III}$ )” means another portion of the multifunctional group

ligand which contains a functional group capable of adhering to an active component, and preferably the other end positioned opposite to the reactive region. The functional group of the reactive region depends on the type and chemical formula of active component (refer to Table 1). Non-limiting, illustrative examples of the functional groups of the reactive region include -SH, -COOH, -NH<sub>2</sub>, -OH, -NR<sub>4</sub><sup>+</sup>X<sup>-</sup>, -sulfonate, -nitrate, or phosphonate.

TABLE 1: Examples of functional groups of the reactive region included in the multifunctional group ligand

I	II	III
R-NH <sub>2</sub>	R'-COOH	R-NHCO-R'
R-SH	R'-SH	R-SS-R
R-OH	R'-(epoxy group)	R-OCH <sub>2</sub> C(OH)CH <sub>2</sub> -R'
RH-NH <sub>2</sub>	R'-(epoxy group)	R-NHCH <sub>2</sub> C(OH)CH <sub>2</sub> -R'
R-SH	R'-(epoxy group)	R-SCH <sub>2</sub> C(OH)CH <sub>2</sub> -R'
R-NH <sub>2</sub>	R'-COH	R-N=CH-R'
R-NH <sub>2</sub>	R'-NCO	R-NHCONH-R'
R-NH <sub>2</sub>	R'-NCS	R-NHCSNH-R'
R-SH	R'-COCH <sub>2</sub>	R'-COCH <sub>2</sub> S-R
R-SH	R'-O(C=O)X	R-OCH <sub>2</sub> (C=O)O-R'
R-(aziridine group)	R'-SH	R-CH <sub>2</sub> CH(NH <sub>2</sub> )CH <sub>2</sub> S-R'
R-CH=CH <sub>2</sub>	R'-SH	R-CH <sub>2</sub> CHS-R'
R-OH	R'-NCO	R'-NHCOO-R
R-SH	R'-COCH <sub>2</sub> X	R-SCH <sub>2</sub> CO-R'
R-NH <sub>2</sub>	R'-CON <sub>3</sub>	R-NHCO-R'
R-COOH	R'-COOH	R-(C=O)O(C=O)-R'+H <sub>2</sub> O
R-SH	R'-X	R-S-R'
R-NH <sub>2</sub>	R'CH <sub>2</sub> C(NH <sup>2+</sup> )OCH <sub>3</sub>	R-NHC(NH <sup>2+</sup> )CH <sub>2</sub> -R'
R-OP(O <sup>2-</sup> )OH	R'-NH <sub>2</sub>	R-OP(O <sup>2-</sup> )-NH-R'
R-CONHNH <sub>2</sub>	R'-COH	R-CONHN=CH-R'
R-NH <sub>2</sub>	R'-SH	R-NHCO(CH <sub>2</sub> ) <sub>2</sub> SS-R'

(I: the functional group of the reactive region of the multifunctional group ligand,

II: active components, and III: examples of bonds formed by reaction of I with II)

In the present invention, a compound originally containing the above functional groups may be used as the water-soluble multifunctional group ligand. Alternatively, a  
5 compound which is modified or produced through a chemical reaction known in the art so as to include the above functional groups may be used as the multifunctional group ligand.

In the water-soluble nanoparticles according to the present invention, an example of a preferred multifunctional group ligand is dimercaptosuccinic acid. This is based on the fact that dimercaptosuccinic acid originally includes an adhesive region, a cross-linking  
10 region, and a reactive region. In other words, -COOH located at one end of dimercaptosuccinic acid adheres to the nanoparticle, -SH positioned at the center of dimercaptosuccinic acid is bonded to neighboring dimercaptosuccinic acid by a disulfide bond, and -COOH and -SH located at the other end of dimercaptosuccinic acid are bonded to active components. In addition to dimercaptosuccinic acid, a compound, which  
15 includes -COOH as the functional group of the adhesive region (L<sub>I</sub>), -SH as the functional group of the cross-linking region (L<sub>II</sub>), and -COOH or -SH as the functional group of the reactive region (L<sub>III</sub>), may be used as the preferred multifunctional group ligand. Illustrative, but non-limiting examples of the compound include dimercaptomaleic acid and dimercaptopentadionic acid.

20 In the water-soluble nanoparticles according to the present invention, another example of a preferred multifunctional group ligand is peptide. Peptide is an oligomer/polymer consisting of a few amino acids. Amino acid has -COOH and -NH<sub>2</sub> functional groups at both ends thereof, and thus, peptide spontaneously includes an adhesive region and a reactive region. Additionally, since some amino acids have -SH or  
25 -OH as a branched chain, peptide, which is produced so that the said amino acids are

contained in a cross-linking region, may be used as the multifunctional group ligand in the present invention.

In the present invention, the multifunctional group ligand may be formed in combination with a biodegradable polymer. Examples of the biodegradable polymer  
5 include polyphosphazene, polylactide, polylactide-co-glycolide, polycaprolactone, polyanhydride, polymaleic acid and derivatives thereof, polyalkylcyanoacrylate, polyhydroxybutylate, polycarbonate, polyorthoester, polyethylene glycol, poly-L-lysine, polyglycolide, polymethylmethacrylate, and polyvinylpyrrolidone.

Meanwhile, an "active component", which is to be bonded to the reactive region of  
10 the multifunctional group ligand according to the present invention, may be selected depending on the application of the water-soluble nanoparticles according to the present invention. Examples of the active component may include a bioactive component, a polymer, or an inorganic supporter.

Illustrative, but non-limiting, examples of the bioactive component include tissue-  
15 specific binding substances, such as an antigen, an antibody, RNA, DNA, hapten, avidin, streptavidin, protein A, protein G, lectin, selectin; and pharmaceutically active components, such as anticancer drugs, antibiotic drugs, hormones, hormone antagonists, interleukin, interferon, growth factors, tumor necrosis factors, endotoxin, lymphotoxin, urokinase, streptokinase, tissue plasminogen activators, protease inhibitors, alkyl phosphocholine,  
20 surfactants, cardiovascular pharmaceuticals, gastrointestinal pharmaceuticals, and neuro pharmaceuticals.

Examples of the polymer include polyphosphazene, polylactide, polylactide-co-glycolide, polycaprolactone, polyanhydride, polymaleic acid and derivatives thereof, polyalkylcyanoacrylate, polyhydroxybutylate, polycarbonate, polyorthoester, polyethylene  
25 glycol, poly-L-lysine, polyglycolide, polymethylmethacrylate, and polyvinylpyrrolidone.

Illustrative, but non-limiting examples of the inorganic supporter include silica (SiO<sub>2</sub>), titania (TiO<sub>2</sub>), indium tin oxide (ITO), a carbon material (nanotube, graphite, fullerene or the like), a semiconductor substrate (Si, GaAs, AlAs or the like), and a metal substrate (Au, Pt, Ag, Cu or the like).

5           A method of producing the water-soluble nanoparticles of the present invention includes (1) synthesizing water-insoluble nanoparticles in an organic solvent, (2) dissolving the water-insoluble nanoparticles in a first solvent and dissolving water-soluble multifunctional group ligands in a second solvent, (3) mixing the two solutions of the step (2) to substitute surfaces of the water-insoluble nanoparticles with the multifunctional  
10   group ligands, and dissolving a mixture in an aqueous solution to conduct a separation process, and (4) cross-linking the substituted multifunctional group ligands with each other.

The step (1) of the method relates to a process of producing the water-insoluble nanoparticles. The process of producing the water-insoluble nanoparticles according to the present invention includes adding a nanoparticle precursor to an organic solvent  
15   containing a surface stabilizer at 10 – 600°C, maintaining the resulting solution under temperature and time conditions suitable to make the desired water-insoluble nanoparticles to chemically react the nanoparticle precursor and thus grow the nanoparticles, and separating and purifying the water-insoluble nanoparticles.

Illustrative, but non-limiting, examples of the organic solvent include a benzene-  
20   based solvent (e.g. benzene, toluene, halobenzene or the like), a hydrocarbon solvent (e.g. octane, nonane, decane or the like), an ether-based solvent (e.g. benzyl ether, phenyl ether, hydrocarbon ether or the like), and a polymer solvent.

In the step (2) of the method, the nanoparticles produced in the preceding step are dissolved in the first solvent and the multifunctional group ligand is dissolved in the  
25   second solvent. Examples of the first solvent include a benzene-based solvent (e.g.

benzene, toluene, halobenzene or the like), a hydrocarbon solvent (e.g. pentane, hexane, nonane, decane or the like), an ether-based solvent (e.g. benzyl ether, phenyl ether, hydrocarbon ether or the like), halohydrocarbon (e.g. methylene chloride, methane bromide or the like), alcohol (e.g. methanol, ethanol or the like), a sulfoxide-based solvent  
5 (e.g. dimethylsulfoxide or the like), and an amide-based solvent (e.g. dimethylform amide or the like). In addition to the solvents capable of being used as the first solvent, water may be used as the second solvent.

In the step (3) of the method, the two solutions are mixed with each other. In this step, the organic surface stabilizer of the water-insoluble nanoparticles is substituted with  
10 the water-soluble multifunctional group ligand (refer to FIG. 1). The nanoparticles having the water-soluble multifunctional group ligand substituted as described above can be separated using a typical method known in the art. Usually, since the water-soluble nanoparticles are generated as a precipitate, it is preferable to conduct the separation process using a centrifuge or by filtration. After the separation process, it is preferable to  
15 control the pH to 5 to 10 through a titration process so as to obtain the stably dispersed water-soluble nanoparticles.

In the step (4) of the method, the multifunctional group ligands are cross-linked with each other through some chemical reactions, thereby stabilizing the water-soluble nanoparticles. Illustrative, but non-limiting, examples of the chemical reaction for the  
20 cross-linking include an oxidation reaction (e.g. disulfide bond) and a reduction reaction, a cross-linking reaction using a molecule connector, and a hydrogen bond. The nanoparticles stabilized by the cross-linking are dispersed well under conditions of pH of 5 to 10 and a salt concentration of about 1 M or less without aggregation.

A better understanding of the present invention may be obtained through the  
25 following examples which are set forth to illustrate, but are not to be construed as the limit

of, the present invention.

### EXAMPLE 1

#### Production of iron oxide nanoparticles having various sizes

5

4 nm iron oxide nanoparticles were synthesized by thermal decomposition of Iron triacetyl acetate (Aldrich) in a phenylether solvent, which contains 0.3M lauric acid and 0.3M lauryl amine, at 260°C for 1 hour. To synthesize 6nm iron oxide nanoparticles, it had the same synthesis procedure as that of the 4 nm iron oxide nanoparticles except that 10 benzyl ether was used as a solvent and a reaction temperature was 290°C. To produce 9nm iron oxide nanoparticles, a benzyl ether solution, which contained 0.1 M lauric acid, 0.1 M lauryl amine, 8 mg/ml of 6 nm iron oxide nanoparticles, and iron triacetyl acetate, was heated at 290°C for 1 hour. The synthesis procedure of the 12 nm iron oxide nanoparticles was the same as that of the 9nm iron oxide nanoparticles except that the 9 nm 15 iron oxide nanoparticles were put in a solution in a concentration of 8 mg/ml.

### EXAMPLE 2

#### Production of water-soluble iron oxide nanoparticles

20

5 mg of the iron oxide nanoparticles produced in example 1 were dissolved in 1 ml of toluene. Then 0.5 ml of methanol, in which 20 mg of 2,3-mercaptoposuccinic acid was dissolved, was added to the above toluene solution (refer to FIG. 3). After about 24 hours, a dark brown precipitate was formed. The precipitate was centrifuged at room temperature at 2000 rpm for 5 min, and dispersed in 1 ml of deionized water. An air 25 bubbling process was conducted for 5 min to achieve a disulfide bond of 2,3-

mercaptosuccinic acid.

### EXAMPLE 3

5 Evaluation of stability of water-soluble iron oxide nanoparticles in an aqueous solution

#### a. Analysis of solubility of water-soluble iron oxide nanoparticles

The water-insoluble iron oxide nanoparticles produced in example 1 were dissolved in chloromethane, followed by the addition of water, whereas the water-soluble  
10 iron oxide nanoparticles produced in example 2 were dissolved in water, followed by the addition of chloromethane. Thereafter, a solubility variance caused by a surface substitution of the nanoparticles was analyzed.

From FIG. 4, it was confirmed that a multifunctional group ligand (2,3-dimercaptosuccinic acid) was substituted with an organic surface stabilizer to convert  
15 water-insoluble nanoparticles into water-soluble nanoparticles. Additionally, it was confirmed through observation with the naked eyes that precipitation or aggregation did not occur, and thus, it can be seen that the water-soluble iron oxide nanoparticles are dispersed well in an aqueous solution.

#### 20 b. Analysis through electrophoresis

10  $\mu\text{l}$  of solution containing water-soluble iron oxide nanoparticles in a concentration of about 1 mg/ml was loaded in 1 % agarose gel, and was subjected to an electrophoresis in a 1X TBE (tris-borate-edta) buffer solution while a voltage of 5 V/cm was applied to the resulting solution for 30 min.

25 As shown in FIG. 5, water-soluble iron oxide nanoparticles moved through the gel

since they were smaller than cavities formed in the agarose gel. Furthermore, a narrow band was formed on the gel, and thus, it can be seen that the water-soluble iron oxide nanoparticles were consistent in size and did not aggregate. Meanwhile, mobility was reduced in accordance with an increase in the size of the nanoparticles, which means that the water-soluble iron oxide nanoparticles were consistent in size and did not aggregate. Through the above results, it can be seen that the water-soluble iron oxide nanoparticles were dispersed in an aqueous solution, were consistent in size, and did not aggregate.

c. Analysis using a transmission electron microscope (TEM)

20  $\mu\text{l}$  of solution containing water-soluble iron oxide nanoparticles were dropped on a TEM grid (Ted Pella Inc.) coated with a carbon film, dried for about 30 min, and observed using an electron microscope (EF-TEM, Zeiss, acceleration voltage 100 kV).

As shown in FIG. 6 the water-soluble iron oxide nanoparticles consistent in size were formed.

EXAMPLE 4

Production of core-shell ( $\text{FePt}@ \text{Fe}_3\text{O}_4$ ) nanoparticles

0.5 mmol Pt acetylacetonate was dissolved in 10 ml of benzylether, and heated to 100 °C. 4 mmol oleic acid, 1.5 mmol  $\text{Fe}(\text{CO})_5$ , and 4 mmol oleyl amine were added to the resulting benzylether, heated to 240 °C, and maintained at that temperature for 1 hour to conduct a reaction. At this time,  $\text{Fe}(\text{CO})_5$  was decomposed. Subsequently, the resulting solution was heated to 300 °C and then maintained at that temperature for 1 hour. After the completion of the reaction, air was injected for 5 min to produce the core-shell ( $\text{FePt}@ \text{Fe}_3\text{O}_4$ ) nanoparticles.

## EXAMPLE 5

## Production of water-soluble core-shell nanoparticles

5           The water-soluble core-shell nanoparticles were produced by the same procedure as example 2 except that the core-shell nanoparticles produced through example 4 were used.

## EXAMPLE 6

10           Evaluation of stability of water-soluble core-shell nanoparticles in an aqueous solution

          The stability of the water-soluble core-shell nanoparticles produced through example 5 in an aqueous solution was evaluated according to the same procedure as  
15   example 3 (refer to FIGS. 7 and 8).

## EXAMPLE 7

          Production of water-soluble iron oxide nanoparticles using peptide as a multifunctional group ligand

20

          The water-soluble iron oxide nanoparticles were produced through the same procedure of example 2 except that the following peptide was used instead of dimercaptosuccinic acid.

25

(1) GSE SGG SG(Cha) CC(Cha) CDD – SEQ ID No. : 1

(2) GRR SHG (Cha)CC (Cha)CD D - SEQ ID No. : 2

(3) GKK HGH Y(Cha)C C(Cha)D CD - SEQ ID No. : 3

\*Cha = cyclohexylalanine

5 Surfaces of the nanoparticles were substituted with peptide to produce nanoparticles that were stable in an aqueous solution. In peptide, a CDD or DCD portion containing –COOH acts as an adhesive region, a CC portion containing –SH acts as a cross-linking region, and the remaining portion acts as a reactive region.

## 10 EXAMPLE 8

Production of water-soluble iron oxide nanoparticles combined with a tie2 receptor antibody as an active component

0.2 mg of tie2 receptor antibody was dissolved in 100  $\mu$ l of 10 mM PBS  
15 (phosphate buffered saline, pH 7.2), and reacted with 20  $\mu$ g of sulfo-SMCC (purchased from Pierce Inc.) for 30 min. Subsequently, the antibody combined with the sulfo-SMCC was separated through a gel filtration process (Sephadex G-25). The separated antibody reacted with 0.2 mg of water-soluble iron oxide nanoparticles produced through example 2 for 12 hours, and water-soluble iron oxide nanoparticles combined with the tie2 receptor  
20 antibody were separated using a gel filtration column (Sephacryl S200, S400).

## EXAMPLE 9

Confirmation of combination of water-soluble iron oxide nanoparticles with a tie2 receptor antibody

25

The product of example 8 was subjected to an electrophoresis according to the same procedure as example 3, and the results are shown in FIG. 9.

FIG. 9 illustrates that a bioactive component (tie2 receptor antibody) can be bonded to a reactive region of the water-soluble nanoparticle. From the electrophoresis results, it can be seen that the iron oxide nanoparticle combined with the antibody has low movement during electrophoresis, which is similar to the results of a protein dyeing. Accordingly, it can be seen that the iron oxide nanoparticle is combined with the antibody.

#### Industrial Applicability

Water-soluble nanoparticles according to the present invention are consistent in size, and are stable especially in aqueous solution. Accordingly, the nanoparticles employing various active components can be applied to composite material, electronic material, bio diagnosis, and treatment.

Claims

1. Water-soluble nanoparticles, which are each surrounded by a multifunctional group ligand ( $L_I$ - $L_{II}$ - $L_{III}$ ) including an adhesive region ( $L_I$ ), a cross-linking region ( $L_{II}$ ), and  
 5 a reactive region ( $L_{III}$ ), and in which the cross-linking region of the multifunctional group ligand is cross-linked with another cross-linking region of a neighboring multifunctional group ligand.

2. The water-soluble nanoparticles as set forth in claim 1, wherein each of the  
 10 nanoparticles includes a metal, a metal chalcogenide, a magnetic material, a magnetic alloy, a semiconductor material, or a multicomponent mixed structure, and each of them has a diameter of 1 – 1000 nm.

3. The water-soluble nanoparticles as set forth in claim 2, wherein the metal is  
 15 selected from the group consisting of Pt, Pd, Ag, Cu, Ru, Rh, Os and Au.

4. The water-soluble nanoparticles as set forth in claim 2, wherein the metal chalcogenide is selected from the group consisting of  $M_xE_y$  ( $M = \text{Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zr, Mo, Ru, Rh, Ag, W, Re, Ta, Zn; } E = \text{O, S, Se, } 0 < x \leq 3, 0 < y \leq 5$ ),  $\text{BaSr}_x\text{Ti}_{1-x}\text{O}_3$ ,  
 20  $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$  ( $0 \leq x \leq 1$ ), and  $\text{SiO}_2$ .

5. The water-soluble nanoparticles as set forth in claim 2, wherein the magnetic material is selected from the group consisting of Co, Mn, Fe, Ni, Gd,  $\text{MM}'_2\text{O}_4$ ,  $\text{M}_x\text{O}_y$  ( $M$  or  $M' = \text{Co, Fe, Ni, Mn, Zn, Gd, Cr, } 0 < x \leq 3, 0 < y \leq 5$ ).

6. The water-soluble nanoparticles as set forth in claim 2, wherein the magnetic alloy is selected from the group consisting of CoCu, CoPt, FePt, CoSm, CoAu, CoAg, CoPtAu, CoPtAg, NiFe and NiFeCo.

5           7. The water-soluble nanoparticles as set forth in claim 2, wherein the semiconductor material is a first semiconductor material consisting of an element selected from a group II and an element selected from a group VI, a second semiconductor material consisting of an element selected from a group III and an element selected from a group V, a third semiconductor material consisting of a group IV, a fourth semiconductor material  
10           consisting of an element selected from the group IV and an element selected from the group VI, or a fifth semiconductor material consisting of an element selected from the group V and an element selected from the group VI.

          8. The water-soluble nanoparticles as set forth in claim 2, wherein the  
15           multicomponent mixed structure includes two or more components selected from the group consisting of the metal, the metal chalcogenide, the magnetic material, the magnetic alloy, and the semiconductor according to any one of claims 3 to 7, and has a core-shell or bar code shape.

20           9. The water-soluble nanoparticles as set forth in claim 1, wherein the adhesive region ( $L_I$ ) includes a functional group selected from the group consisting of  $-\text{COOH}$ ,  $-\text{NH}_2$ ,  $-\text{SH}$ ,  $-\text{CONH}_2$ ,  $-\text{PO}_3\text{H}$ ,  $-\text{PO}_4\text{H}$ ,  $-\text{SO}_3\text{H}$ ,  $-\text{SO}_4\text{H}$ , and  $-\text{OH}$ .

          10. The water-soluble nanoparticles as set forth in claim 1, wherein the cross-  
25           linking region ( $L_{II}$ ) includes a functional group selected from the group consisting of  $-\text{SH}$ ,  $-$

NH<sub>2</sub>, -COOH, -OH, epoxy, -ethylene, and -acetylene.

11. The water-soluble nanoparticles as set forth in claim 1, wherein the reactive region (L<sub>III</sub>) includes a functional group selected from the group consisting of -SH, -  
5 COOH, -NH<sub>2</sub>, -OH, -NR<sub>4</sub><sup>+</sup>X<sup>-</sup>, -sulfonate, -nitrate, and phosphonate.

12. The water-soluble nanoparticles as set forth in claim 1, wherein the active component is selected from the group consisting of a bioactive component, a polymer, and an inorganic supporter.

10

13. The water-soluble nanoparticles as set forth in claim 12, wherein the bioactive component is selected from the group consisting of an antigen, an antibody, RNA, DNA, hapten, avidin, streptavidin, protein A, protein G, lectin, selectin, an anticancer drug, an antibiotic drug, a hormone, a hormone antagonist, interleukin, interferon, a growth factor, a  
15 tumor necrosis factor, endotoxin, lymphotoxin, urokinase, streptokinase, a tissue plasminogen activator, a protease inhibitor, alkyl phosphocholine, a component indicated by a radioactive isotope, a surfactant, a cardiovascular pharmaceutical, a gastrointestinal pharmaceutical, and a neuro pharmaceutical.

20

14. The water-soluble nanoparticles as set forth in claim 12, wherein the polymer is selected from the group consisting of polyphosphazene, polylactide, polylactide-co-glycolide, polycaprolactone, polyanhydride, polymaleic acid and derivatives thereof, polyalkylcyanoacrylate, polyhydroxybutylate, polycarbonate, polyorthoester, polyethylene glycol, poly-L-lysine, polyglycolide, polymethylmethacrylate, and polyvinylpyrrolidone.

25

15. The water-soluble nanoparticles as set forth in claim 12, wherein the inorganic supporter is selected from the group consisting of silica (SiO<sub>2</sub>), titania (TiO<sub>2</sub>), indium tin oxide (ITO), a carbon material, a semiconductor substrate, and a metal substrate.

5           16. The water-soluble nanoparticles as set forth in claim 1, wherein the multifunctional group ligand is a peptide containing at least one amino acid having -SH, -COOH, -NH<sub>2</sub>, or -OH as a branched chain.

17. The water-soluble nanoparticles as set forth in claim 16, wherein the peptide  
10 contains any one of amino acid sequences described in SEQ ID Nos. 1 to 3.

18. The water-soluble nanoparticles as set forth in claim 1, wherein the multifunctional group ligand is a compound, which includes -COOH as a functional group of the adhesive region (L<sub>I</sub>), -SH as a functional group of the cross-linking region (L<sub>II</sub>), and  
15 -COOH or -SH as a functional group of the reactive region (L<sub>III</sub>).

19. The water-soluble nanoparticles as set forth in claim 18, wherein the compound is selected from the group consisting of dimercaptosuccinic acid, dimercaptomaleic acid, and dimercaptopentadionic acid.

20

20. The water-soluble nanoparticles as set forth in claim 1, wherein the multifunctional group ligand is combined with a biodegradable polymer.

21. The water-soluble nanoparticles as set forth in claim 20, wherein the  
25 biodegradable polymer is selected from the group consisting of polyphosphazene,

polylactide, polylactide-co-glycolide, polycaprolactone, polyanhydride, polymaleic acid and derivatives thereof, polyalkylcyanoacrylate, polyhydroxybutylate, polycarbonate, polyorthoester, polyethylene glycol, poly-L-lysine, polyglycolide, polymethylmethacrylate, and polyvinylpyrrolidone.

5

22. A method of producing water-soluble nanoparticles, comprising:

(1) synthesizing water-insoluble nanoparticles in an organic solvent;

(2) dissolving the water-insoluble nanoparticles in a first solvent and dissolving water-soluble multifunctional group ligands in a second solvent;

10

(3) mixing two solutions in the step (2) to substitute surfaces of the water-insoluble nanoparticles with the multifunctional group ligands and dissolving a mixture in an aqueous solution to conduct a separation process; and

(4) cross-linking the substituted multifunctional group ligands with each other.

15

23. The method as set forth in claim 22, wherein the water-insoluble nanoparticles of the step (1) are produced through a chemical reaction of a nanoparticle precursor in an organic solvent containing a surface stabilizer.

20

24. The method as set forth in claim 23, wherein the water-insoluble nanoparticles are produced according to a process which comprises adding the nanoparticle precursor to the organic solvent containing the surface stabilizer at 10 – 600 °C, maintaining the resulting solvent under temperature and time conditions suitable for making the desired water-insoluble nanoparticles to chemically react the nanoparticle precursor and thus grow the nanoparticles, and separating and purifying the nanoparticles.

25


25. The method as set forth in any one of claims 22 to 24, wherein the organic solvent is selected from the group consisting of a benzene-based solvent, a hydrocarbon solvent, an ether-based solvent, and a polymer solvent.

5           26. The method as set forth in claim 22, wherein the first solvent in the step (2) is selected from the group consisting of a benzene-based solvent, a hydrocarbon solvent, an ether-based solvent, halohydrocarbon, alcohol, a sulfoxide-based solvent, and an amide-based solvent.

10           27. The method as set forth in claim 22, wherein the second solvent in the step (2) is selected from the group consisting of a benzene-based solvent, a hydrocarbon solvent, an ether-based solvent, halohydrocarbon, alcohol, a sulfoxide-based solvent, an amide-based solvent, and water.


1/12

FIG. 1




2/12

FIG. 2




3/12

FIG. 3




4/12

FIG. 4




5/12

FIG. 5




6/12

FIG. 6A




7/12

FIG. 6B




8/12

FIG. 6C





9/12

FIG. 6D



10/12


FIG. 7



11/12


FIG. 8

loading → —



12/12

FIG. 9



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2004/002509

**A. CLASSIFICATION OF SUBJECT MATTER****IPC7 B82B 3/00**

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

B05D, B01J, B32B, B82B, G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean Patents and applications for inventions since 1975

Korean Utility models and applications for Utility models since 1975

Japanese Utility models and applications for Utility models since 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKIPASS

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6,333,110 B1 (Bio-Pixels Ltd.) 25 December 2001 see the whole document	1 - 27
A	US 2004-0058457 A1 (Xueying Huang et al) 25 March 2004 see the whole document	1 - 27
E, A	WO 2004/110619 A1 (Sogang University Corp.) 23 December 2004 see the whole document	1 - 27
A	WO 03/072247 A1 (Far East Asia Corp.) 04 September 2003 see the whole document	1 - 27

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

03 JUNE 2005 (03.06.2005)

Date of mailing of the international search report

**03 JUNE 2005 (03.06.2005)**

Name and mailing address of the ISA/KR

Korean Intellectual Property Office  
920 Dunsan-dong, Seo-gu, Daejeon 302-701,  
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

LEE, SI GEUN

Telephone No. 82-42-481-8151



# INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2004/002509

## Box No. I Nucleotide and/or amino acid sequence(s) (Continuation of item 1.b of the first sheet)

1. With regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed invention, the international search was carried out on the basis of :

a. type of material



a sequence listing



table(s) related to the sequence listing

b. format of material



in written format



in computer readable form

c. time of filing/furnishing



contained in the international application as filed



filed together with the international application in computer readable form



furnished subsequently to this Authority for the purposes of search

2. ☐ In addition, in the case that more than one version or copy of a sequence listing and/or table relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.

3. Additional comments:

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

PCT/KR2004/002509

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6333110	25.12.2001	AU 200019117 A1 AU 200019117 A5 WO 200027436 A1	29.05.2000 29.05.2000 18.05.2000
US 20040058457 A1	25.03.2004	none	
WO 2004110619 A1	23.12.2004	KR 2004-0110377 A1	31.12.2004
WO 2003072247 A1	04.09.2003	KR 1020030071233 AU 2002367727 A1	03.09.2003 09.09.2003